

Check List of Water Beetles from Korea

Yong Jung KWON and Sang Jae SUH

Department of Agricultural Biology, College of Agriculture,
Kyungpook National University, Taegu 635, Korea.

ABSTRACT

A sum of 84 species belonging to 44 genera under 9 families of Korean water beetles are reviewed and listed tentatively, among them 14 species are newly recorded from Korean fauna.

SYSTEMATICS

Superfamily DYTISCOIDEA

Family I. HALIPLIDAE

Genus 1. *Peltodytes* Régimbart, 1878

1. *Peltodytes intermedius* (Sharp, 1873)

Trans. Ent. Soc. Lond.:55.

Distribution: Korea (Central, South), Japan (whole), China (Hopeh, Hupeh, Taiwan), U.S.S.R. (Maritime Territory).

2. *Peltodytes koreanus* Takizawa, 1933

Ins. Mats. 7:166.

Distribution: Korea (Central, South).

3. *Peltodytes sinensis* (Hope, 1845)

Trans. Ent. Soc. Lond. 4:15.

Cnemidotus variabilis Clark, 1863, Ibid. 3, 1:417.

Distribution: Korea (South), China (South, Taiwan), Vietnam.

Genus 2. *Haliphus* Latreille, 1802

Subgenus *Liaphlus*

4. *Haliphus (Liaphlus) eximius* Clark, 1863
Trans. Ent. Soc. Lond. 3(1):418.
Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu).
5. *Haliphus (Liaphlus) ovalis* Sharp, 1884
Trans. Ent. Soc. Lond.:440.
Distribution: Korea (Central, South), Japan (whole), China (Yunnan).
6. *Haliphus (Liaphlus) sharpi* Wehncke, 1880
Stett. Ent. Zeitg. 41:74.
Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu), China.
7. *Haliphus (Liaphlus) simplex* Clark, 1863
Trans. Ent. Soc. Lond. 3(1):419.
Distribution: Korea (Central), China (East, Taiwan), U.S.S.R. (Maritime Territory).

Family II. NOTERIDAE

Tribe *Noterini* Sharp, 1880
Genus 3. *Noterus* Clairville, 1806

8. *Noterus angustulus* Zaitzev, 1953
Faun. U.S.S.R. n. s. 58:95.
Distribution: Korea (North), U.S.S.R. (Maritime Territory).
9. *Noterus japonicus* Sharp, 1873
Trans. Ent. Soc. Lond.:52.
Distribution: Korea (Central), Japan (whole), China (Fuchow, Manchuria, Taiwan).

Tribe *Hydrocanthini* Sharp, 1880
Genus 4. *Canthydrus* Sharp, 1882

10. *Canthydrus politus* (Sharp, 1873)
Trans. Ent. Soc. Lond.:51.
Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu), China (Kiangsu).

Family III. DYTISCIDAE

Subfamily LACCOPHILINAE

Genus 5. *Laccophilus* Leach, 1817

11. *Laccophilus difficilis* Sharp, 1873
Trans. Ent. Soc. Lond.:53
Distribution: Korea (Central, South), Japan (whole), China (Kiangsu, Manchuria, Yunnan).

12. *Laccophilus kobensis* Sharp, 1879

Trans. Ent. Soc. Lond.:53.

Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu), China (Fukien, Shantung).

13. *Laccophilus lewisius* Sharp, 1873

Trans. Ent. Soc. Lond.:52.

Distribution: Korea (North), Japan (Honshu, Shikoku, Kyushu), China (Mainland, Manchuria), U.S.S.R. (Maritime Territory).

14. *Laccophilus sharpi* Régimbart, 1899

Ann. Soc. Ent. Franc. 19:151.

Distribution: Korea (Central), Japan (whole), China (Mainland, Taiwan), Indonesia, Tropical Asia, Australia.

Subfamily HYDROPORINAE

Tribe Hyphydrini Sharp, 1880

Genus 6. *Hyphydrus* Illiger, 1807

15. *Hyphydrus japonicus* Sharp, 1873

Trans. Ent. Soc. Lond.:54.

Distribution: Korea (Central, South), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (North).

Tribe Bidessini Sharp, 1882

Genus 7. *Liodes*

16. *Liodes megacephalus* (Gschwendtner, 1931)

Ent. Anz. 11:1.

Distribution: Korea (South), Japan (Honshu, Shikoku, Kyushu, Ryukyus), China (South).

Genus 8. *Guignotus* Houlbert, 1934

17. *Guignotus japonicus* (Sharp, 1873)

Trans. Ent. Soc. Lond.:54.

Distribution: Korea (Central, South), Japan (whole), China (Mainland, Taiwan), U.S.S.R. (Maritime Territory).

Tribe Hydroporini Sharp, 1882

Genus 9. *Coelambus* Thomson, 1860

18. *Coelambus chinensis* Sharp, 1882

Sci. Trans. r. Dubl. Soc., 2:398.

Distribution: Korea (Central), Japan, China.

Genus 10. *Potamonectes* Zimmermann, 1921

19. *Potamonectes hostilis* (Sharp, 1884)

Trans. Ent. Soc. Lond.:443.

Distribution: Korea (South), Japan (Honshu, Kyushu), China (Manchuria), U.S.S.R. (Maritime Territory).

20. *Potamonectes simplicipes* (Sharp, 1884)

Trans. Ent. Soc. Lond.:442.

Distribution: Korea (Central), Japan (Hokkaido, Honshu), U.S.S.R. (Kuriles, Sachalin).

Genus 11. *Neonectes* Zimmermann, 1933

21. *Neonectes natrix* (Sharp, 1884)

Trans. Ent. Soc. Lond.:443.

Distribution: Korea (Center, South), Japan.

Subfamily COLYMBETINAE

Tribe *Copelatini* Régimbart, 1895

Genus 12. *Copelatus* Erichson, 1832

22. *Copelatus japonicus* Sharp, 1884

Trans. Ent. Soc. Lond.:445.

Distribution: Korea (North, Chejudo), Japan (Honshu, Shikoku, Kyushu), China (Yunnan).

23. *Copelatus koreanus* Mori, 1932

Journ. Chos. Nat. Hist. Soc. 14:49.

Distribution: Korea (Central).

Tribe *Agabini* Sharp, 1882

Genus 13. *Platambus* Thomson, 1860

Subgenus *Agraphis*

24. *Platambus (Agraphis) fimbriatus fimbriatus* Sharp, 1884.

Trans. Ent. Soc. Lond.:445.

Distribution: Korea (Central), Japan (whole), China (Manchuria).

25. *Platambus (Agraphis) pictipennis* Sharp, 1873

Trans. Ent. Soc. Lond.:49.

Distribution: Korea (Central, South), Japan (whole), U.S.S.R. (Sachalin).

Genus 14. *Agabus* Leach, 1817

26. *Agabus adpressus* Aubé, 1836

Icon. Col. 5:169-170, pl. 21(1).

Y.J. KWON, S.J. SUH: Check List of Water Beetles from Korea

Agabus subquadratus Motschulsky, 1860, Schrenk's Reis. & Forsch. Am. Land. 2:102.

Distribution: Korea (North), Mongolia, U.S.S.R. (Maritime Territory, Siberia, Transbaikalia).

27. *Agabus amoenus* Solsky, 1874

Put. Turk. 2:142.

Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu), U.S.S.R. (Middle Asia).

28. *Agabus browni* Kamiya, 1934

Kontyû 8(3):181.

Agabus brunneus Kamiya, 1935, Ins. Jehol, Col. Dyt., 2, 8, pl. 1(1).

Agabus (Gaurodytes) orientalis Kamiya, 1938, Journ. Tokyo Nog. Daig. 5:36, pl. 7(10).

Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu), China (Inner Mongolia).

29. *Agabus congener* (Thunberg, 1794)

Diss. Ent. Ins. Suec. 6:75.

Distribution: Korea (Central, South), Japan (Hokkaido), U.S.S.R. (Kuriles, Siberia), Europe, N. America.

30. *Agabus conspicuus* Sharp, 1873

Trans. Ent. Soc. Lond.:48.

Distribution: Korea (Central, South), Japan (whole, Tsushima), U.S.S.R. (Kuriles).

31. *Agabus japonicus* Sharp, 1873

Trans. Ent. Soc. Lond.:50

Gaurodytes japonicus falkenstromi Zaitzev, 1953, Faun. U.S.S.R. n. s. 58:254.

Distribution: Korea (Central, South), Japan (whole, Tsushima), China (North, Taiwan), U.S.S.R. (Maritime Territory, Sachalin), Vietnam, India.

32. *Agabus optatus* Sharp, 1884

Trans. Ent. Soc. Lond.:445.

Distribution: Korea (Central), Japan (whole), U.S.S.R. (E. Siberia, Maritime Territory).

Tribe Colymbetini Régimbart, 1895

Genus 15. *Rhantus* Lacordaire, 1835

Subgenus *Rhantus*

33. *Rhantus* (s. str.) *pulverosus* (Stephens, 1828)

Ill. Brit. Ent. Mand. 2:69, pl. 12(2).

Dytiscus punctatus Fourcroy, 1785, Ent. Paris 1:70 (nom. praeocc.).

Dytiscus vibicicollis Hochhuth, 1846, Enum. Car. Hydr. Cauc.:216.

Distribution: Korea (Central, South, Chejudo), Japan (whole), China (Mainland, Taiwan),

U.S.S.R. (Maritime Territory, Siberia), Nepal, Australia, Europe, N.Africa, Polynesia.

34. *Phantus* (s. str.) *yessoensis* Sharp, 1891

Entomologist 24. Suppl.:6.

Distribution: Korea (Chejudo), Japan (Hokkaido, Hoshu), China.

Genus 16. *Ilybius* Erichson, 1832

35. *Ilybius apicalis* Sharp, 1873

Trans. Ent. Soc. Lond.:51.

Distribution: Korea (Central, South, Chejudo), Japan (whole), China (Manchuria, North), U.S.S.R. (Maritime Territory).

Subfamily DYTISCINAE

Tribe Hydaticini Sharp, 1882

Genus 17. *Hydaticus* Leach, 1817

Subgenus *Hydaticus*

36. *Hydaticus* (s. str.) *bowringi* Clark, 1864

Trans. Ent. Soc. Lond. 3(1):214.

Distribution: Korea (North, Central, South, Chejudo), Japan (whole), China(Mainland, Taiwan).

37. *Hydaticus* (s. str.) *grammicus* Germar, 1830

Franc. Ins. Eur. 13:Pl. 1.

Hydaticus nigrovittatus Clark, 1864, Trans. Ent. Soc. Lond. 3(1):222.

Distribution: Korea (Central, South, Chejudo), Japan (whole), China (Mainland), U.S.S.R. (Maritime Territory, Middle Asia), Iran, Europe.

38. *Hydaticus* (s. str.) *satoi* Wewalka ?

Distribution: Korea (Central, Chejudo), Japan (Honshu, Shikoku, Kyushu, Tsushima), China (North, Taiwan), S.E.Asia, Nepal, India.

Subgenus *Guignotites*

39. *Hydaticus* (*Guignotites*) *rhantoides* Sharp, 1882

Trans. Roy. Dubl. Soc. 2(2):664.

Distribution: Korea (South), Japan (Honshu, Kyushu, Ryukyus), China (Szechwan, Taiwan), Vietnam.

40. *Hydaticus* (*Guignotites*) *thermonectoides* Sharp, 1884

Trans. Ent. Soc. Lond.:447.

Distribution: Korea (Central), Japan (Honshu), China (Mainland).

Tribe Eretini Crotch, 1873

Y.J. KWON, S.J. SUH: Check List of Water Beetles from Korea

Genus 18. *Eretes* Castelnau, 1833

41. *Eretes sticticus* (Linnaeus, 1767)

Syst. Nat. ed. 12(1):666.

Distribution: Korea (Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu, Ryukyus), China (Mainland, Manchuria, Taiwan), U.S.S.R. (Maritime Territory, Middle Asia, Siberia), India, Australia, Europe, N.America.

Tribe Thermonectini Sharp, 1882

Genus 19. *Graphoderes* Aubé, 1838

42. *Graphoderes adamsi* Clark, 1864

Trans. Ent. Soc. Lond. 3(1):211.

Distribution: Korea (North, Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu), China (Mainland, Manchuria), U.S.S.R. (Maritime Territory).

Tribe Dytiscini Sharp, 1882

Genus 20. *Dytiscus* Linnaeus, 1753

Subgenus *Macrodytes*

43. *Dytiscus (Macrodytes) czerskii* Zaitsev, 1953

Faun. U.S.S.R. n. s. 58:328.

Distribution: Korea (North, South), Japan (Hokkaido), U.S.S.R. (E.Siberia, Maritime Territory).

44. *Dytiscus (Macrodytes) dauricus* Gebler, 1832

Nouv. Mém. Mosc. 2:39.

Dytiscus ventralis Motschulsky, 1855, Et. Ent. 5:79.

Dytiscus frontalis Motschulsky, 1859, Bull. Soc. Nat. Imp. Mosc. 32(2):489.

Distribution: Korea (Central, South), Japan (Hokkaido, Honshu), China (Manchuria), U.S.S.R. (Maritime Territory, Kuriles, Sachalin, Transbaikalia)

Tribe Cybisterini Sharp, 1882

Genus 21. *Cybister* Curtis, 1827

Subgenus *Cybister*

45. *Cybister* (s. str.) *japonicus* Sharp, 1873

Trans. Ent. Soc. Lond.:45.

Distribution: Korea (North, Central, South, Chejudo), Japan (whole), China (Mainland, Manchuria, Taiwan), U.S.S.R. (E.Siberia, Manchuria).

Subgenus *Melanectes*

46. *Cybister (Melanectes) brevis* Aubé, 1873

Spec. Col. 6:98.

Distribution: Korea (North, Central, South), Japan (Honshu, Shikoku, Kyushu).

Subgenus *Gschwendtnerhydrus*

47. *Cybister (Gschwendtnerhydrus) lewisianus* Sharp, 1873

Trans. Ent. Soc. Lond.:46.

Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu), China (Mainland, Manchuria), Vietnam.

48. *Cybister (Gschwendtnerhydrus) tripunctatu orientalis* Gschwendtner, 1931

Ent. Blätt. 27:99.

Distribution: Korea (North, Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu, Ryukyus), China (Mainland, Taiwan), Mongolia, U.S.S.R. (Maritime Territory), Philippines.

Family IV. GYRINIDAE

Subfamily GYRININAE

Genus 22. *Gyrinus* Linnaeus, 1758

Subgenus *Gyrinus*

49. *Gyrinus* (s. str.) *curtus* Motschulsky, 1866

Bull. Soc. Imp. Nat. Mosc. 39:165.

Distribution: Korea (Central, South), Japan (whole), U.S.S.R. (Kuriles, Sachalin).

50. *Gyrinus* (s. str.) *gestroi* Régimbart, 1883

Ann. Soc. Ent. Franc. 6, 2:165.

Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu, China (Taiwan).

51. *Gyrinus* (s. str.) *japonicus francki* Ochs, 1929

Kol. Rundsch. 13:2.

Distribution: Korea (Central, South, Chejudo), U.S.S.R. (Maritime Territory).

Subfamily ENHYDRINAE

Tribe Dineutini

Genus 23. *Dineutus* MacLeay, 1825

52. *Dineutus orientalis* (Modeer, 1776)

Phys. Saellsk. Handl. 1(3):167.

Dineutus marginatus Sharp, 1873, Trans. Ent. Soc. Lond.:196.

Distribution: Korea (Central, South, Chejudo), Japan (whole), China (Mainland, Manchuria, Taiwan), U.S.S.R. (Maritime Territory, Sachalin, Siberia), Vietnam, S.E. Asia, India.

Subfamily ORECTOCHILINAE

Y.J. KWON, S..J. SUH: Check List of Water Beetles from Korea

Genus 24. *Orectochilus* Lacordaire, 1853

Subgenus *Orectochilus*

53. *Orectochilus* (s. str.) *regimbarti* Sharp, 1884

Trans. Ent. Soc. Lond.:448.

Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu).

Superfamily HYDROPHILOIDEA

Family V. HYDRAENIDAE

Tribe Hydraenini

Genus 25. *Hydraena* Kugelann, 1794

Subgenus *Hydraena*

54. *Hydraena* (s. str.) *riparia* (Kugelann, 1794)

Mag. 5:579.

Distribution: Korea (new record: South), Japan (Hokkaido, Honshu), U.S.S.R. (Kaukas, Kuriles, Sachalin, Siberia), Europe.

Family VI. HELOPHORIDAE

Tribe Helophorini

Genus 26. *Helophorus* Fabricius, 1815

Subgenus *Gephelophorus*

55. *Helophorus* (*Gephelophorus*) *auriculatus* Sharp, 1884

Trans. Ent. Soc. Lond.:464.

Distribution: Korea (South), Japan (Honshu), China (East).

Family VII. HYDROPHILIDAE

Subfamily SPAERIDIINAE

Tribe Spaeridiini

Genus 27. *Coelostoma* Brullé, 1835

56. *Coelostoma orbiculare* (Fabricius, 1775)

Syst. Ent.:229.

Coelostoma breve Sharp, 1874, Trans. Ent. Soc. Lond.:419.

Distribution: Korea (new record: South), Japan (Hokkaido, Honshu), U.S.S.R. (Siberia), Europe.

57. *Coelostoma stultum* (Walker, 1858)

Ann. Mag. Nat. Hist. 3, 2:209.

Coelostoma simplex Sharp, 1874, Trans. Ent. Soc. Lond.:419.

Distribution: Korea (Central ?), Japan (Honshu, Shikoku, Kyushu, Ryukyus), China (Mainland, Taiwan), S.E.Asia, India.

Genus 28. *Sphaeridium* Fabricius, 1775

58. *Sphaeridium scarabaeoides* Linnaeus, 1758

Syst. Nat. ed.10(1):356.

Distribution: Korea (new record: South), Japan (Hokkaido, Honshu), China (Mainland), U.S.S.R. (Sachalin, Siberia), Europe, N.America.

Tribe Cercyonini

Genus 29. *Cercyon* Leach, 1817

Subgenus *Cercyon*

59. *Cercyon* (s. str.) *aptus* Sharp, 1873

Trans. Ent. Soc. Lond.:65.

Distribution: Korea (South), Japan (Honshu, Shikoku, Kyushu).

60. *Cercyon* (s. str.) *laminatus* Sharp, 1873

Trans. Ent. Soc. Lond.:66.

Cercyon sharpi Harold, 1878, Deutsch, Ent. Zeitschr.:68.

Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu), China (Taiwan).

61. *Cercyon* (s. str.) *quisquilius* (Linnaeus, 1761)

Faun. Suec. ed. 2:138.

Distribution: Korea (new record: South), Japan (whole), U.S.S.R. (Kuriles, Siberia), Europe, N.America.

62. *Cercyon* (s. str.) *vagus* Sharp, 1884

Trans. Ent. Soc. Lond.:459.

Distribution: Korea (Central ?), Japan (Honshu).

Tribe Megasternini

Genus 30. *Pachysternum* Motschulsky, 1863

63. *Pachysternum haemorrhoum* (Motschulsky, 1866)

Bull. Soc. Imp. Nat. Mosc. 39:108.

Pachysternum distinctum Sharp, 1873, Trans. Ent. Soc. Lond.:278.

Distribution: Korea (new record: South), Japan (whole), China (Manchuira), U.S.S.R. (Kuriles, Sachalin).

Subfamily HYDROPHILINAE

Tribe Hydrobiini

Genus 31. *Hydrobius* Leach, 1815

Y.J. KWON, S..J. SUH: Check List of Water Beetles from Korea

64. *Hydrobius fuscipes* (Linnaeus, 1758)

Syst. Nat. ed. 10(1):411.

Distribution: Korea (new record: South), Japan (Hokkaido), U.S.S.R. (Siberia), Europe, N.America.

Genus 32. *Laccobius* Erichson, 1837

Subgenus *Laccobius*

65. *Laccobius* (s. str.) *bedeli* Sharp, 1884

Trans. Ent. Soc. Lond.:455.

Distribution: Korea (Central), Japan (whole), China (Manchuria).

Genus 33. *Helochares* Mulsant, 1844

Subgenus *Hydrobaticus*

66. *Helochares* (*Hydrobaticus*) *striatus* Sharp, 1873

Trans. Ent. Soc. Lond.:60.

Distribution: Korea (Chejudo), Japan (Honshu, Shikoku, Kyushu).

Genus 34. *Enochrus* Thomson, 1859

Subgenus *Holcophilydrus*

67. *Enochrus* (*Holcophilydrus*) *simulans* (Sharp, 1873)

Trans. Ent. Soc. Lond.:59.

Philhydrus simulans var. *crenato-striatus* Kolbe, 1886, Arch. f. Nat. 52(1):179.

Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu), China (Manchuria, Taiwan).

Tribe Hydrophilini

Genus 35. *Sternolophus* Solsky, 1834

Subgenus *Sternolophus*

68. *Sternolophus rufipes* Fabricius, 1792

Ent. Syst. 1:183.

Distribution: Korea (Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu, Ryukyus), China (Mainland, Taiwan), S.E.Asia, India.

Genus 36. *Hydrochara* Berthold, 1827

69. *Hydrochara affinis* (Sharp, 1873)

Trans. Ent. Soc. Lond.:58.

Distribution: Korea (Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu), China (Mainland), Mongolia, S.E.Asia.

70. *Hydrochara libera* (Sharp, 1884)

Trans. Ent. Soc. Lond.:450.

Distribution: Korea (new record: South), Japan (Hokkaido, Honshu), China (Mainland), E.Asia.

Genus 37. *Hydrophilus* Leach, 1764

71. *Hydrophilus acuminatus* Motschulsky, 1853

Et. Ent. 2:446.

Hydrophilus cognatus Sharp, 1873, Trans. Ent. Soc. Lond.:57.

Stethoxus viridicallis Bedel, 1892, Rev. Ent. Caen. 10:312.

Hydrous sumatrae Kuwert, 1893, Deutsch. Ent. Zeitschr.:85.

Distribution: Korea (North, Central, South, Ullŭngdo), Japan (whole), China (North, Taiwan, Tibet), Indonesia.

Tribe Amphiopini

Genus 38. *Amphiops* Erichson, 1843

72. *Amphiops mater* Sharp, 1873

Trans. Ent. Soc. Lond.:62.

Distribution: Korea (South), Japan (Honshu, Shikoku, Kyushu), China (Mainland).

Tribe Berosini

Genus 39. *Berosus* Leach, 1817

Subgenus *Enoplurus*

73. *Berosus (Enoplurus) lewisius* Sharp, 1873

Trans. Ent. Soc. Lond.:61.

Distribution: Korea (new record: Central, South), Japan (Honshu, Shikoku, Kyushu), China (Mainland, Manchuria).

Subgenus *Berosus*

74. *Berosus* (s. str.) *pulchellus* MacLeay, 1825

Ann. Jav.:35.

Berosus pubescens Mulsant et Rey, 1859, Opusc. Ent. 9:61.

Berosus decrescens Walker, 1859, Ann. Mag. Nat. Hist. 3, 3:258.

Berosus vestitus Sharp, 1884, Trans. Ent. Soc. Lond.:456.

Hygrotrophus devisi Blackburn, 1899, Trans. Roy. Soc. S. Austr. 22(2):225.

Distribution: Korea (new record: South), Japan (Honshu, Ryukyus), China (South, Taiwan), Philippines, Vietnam, Thailand, Burma, Indonesia, India, Australia.

75. *Berosus* (s. str.) *signaticollis punctipennis* Harold, 1878

Deutsch. Ent. Zeitschr. 22:67.

Distribution: Korea (South), Japan (whole), China (Mainland, Manchuria).

Genus 40. *Regimbartia* Zaitzev, 1908

76. *Regimbartia attenuata* (Fabricius, 1775)

Syst. Ent.:229.

Berosus profunda Sharp, 1873, Trans. Ent. Soc. Lond.:62.

Distribution: Korea (South), Japan (Honshu, Shikoku, Kyushu, Ryukyus), China (Mainland, Taiwan), S.E.Asia, India, Afkanistan, Pakistan, Australia.

Superfamily DRYOPOIDEA

Family VIII. ELMIDAE

Genus 41. *Stenelmis* Dufour, 1835

77. *Stenelmis koreanus* Satô, 1978

Ann. Hist.-Nat. Mus. Nat. Hung. 70:147-149.

Distribution: Korea (North).

78. *Stenelmis nipponica* Nomura, 1958

Ent. Rev. Jap. 9(2):41, pl.8(1).

Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu).

79. *Stenelmis vulgaris* Nomura, 1958

Ent. Rev. Jap. 9(2):44, pl.8(3).

Distribution: Korea (North, Central, South), Japan (Honshu, Shikoku, Kyushu).

Family IX. PSEPHENIDAE

Subfamily EUBRIANACINAE

Genus 42. *Eubrianax* Kiesenwetter, 1874

80. *Eubrianax granicollis* Lewis, 1895

Ann. Mag. Nat. Hist. 6, 16:104, pl.6(2).

Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu).

81. *Eubrianax ramicornis* Kiesenwetter, 1874

Berl. Ent. Zeit. 18:247.

Distribution: Korea (North, Central, South), Japan (Honshu, Shikoku, Kyushu).

Subfamily PSEPHENINAE

Genus 43. *Mataeopsephus* Waterhouse, 1876

82. *Mataeopsephus coreanicus* Delève, 1967

Bull. Ann. Soc. Roy. Ent. Belg. 103:414-417.

Distribution: Korea (North, Central).

83. *Mataeopsephus japonicus sasajii* Satô, 1970

Bull. Jap. Ent. Acad. 5:28.

Distribution: Korea (South), Japan (Tsushima).

Subfamily PSEPHENOIDINAE

Genus 44. *Psephenoides* Gahan, 1914

84. *Psephenoides japonicus* Masuda, 1935

Trans. Kans. Ent. Soc. 6:9.

Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu).